

The real fun of single-lens reflex cameras -that's to make full use of interchangeable lenses. The Olympus Pen F series have an ample variety of interchangeable lenses including wide angle, telephoto, super-telephoto and zoom lenses in addition to standards, which wholly incorporate the easy-touse quality of the Pen F designed to superminiature size and light weight. They expand the pleasures of photography. The excellent description of the "Zuiko", indisputably a top quality lens of worldwide fame, will never fail to fascinate you.

• HIGH QUALITY OLYMPUS INTERCHANGEABLE LENSES - EXCELLENT EYES OF THE PEN F

ENRICHED RANGE OF INTERCHANGEABLE LENSES FOR OLYMPUS PEN FT Focal

Angle

of

liam

4

2

34-19

17-9

Length

Equivalent

to 35mm

580

70-130

143-286

1.150

Through-

The-Lens

Number

1~5

(0)

0.5~4

1~6

Minimum

5

15

1.5

1.7

Distance

Filter

72

49

49

25.5

Weight

1.750

2.000

420

700

Lens

Component

(elements-

5-4

6-5

10-8

12 - 9

INTERCHANGEABLE LENSES

E Zuiko T

Mirror T

Auto Zoom

Zuiko Zoom

Zuiko

Zuiko

F6.3,

F8.0.

f=800 F3.5,

f=50-90

F5, f=100-200

f = 400

SUPER-TELE-

PHOTO LENS

ZOOM LENS

			groups)	view	Camera	Number			
STANDARD LENS	H Zuiko Auto S	F1.2, f=42mm	8-6	39°	60mm	0~6	35cm	49mm	255gr.
	G Zuiko Auto S	F1.4, f=40	76	41	58	0~6	35	43	165
	F Zuiko Auto S	F1.8, f=38	6-5	43	55	0~6	35	43	135
WIDE ANGLE LENS	G Zuiko Auto w	F3.5, f=20	7-6	73	28	0~4	20	43	145
	E Zuiko Auto W	F4.0, f=25	5-5	62	35	0~4	25	43	120
TELEPHOTO LENS	G Zuiko Auto T	F1.5, f=60	7-5	28	85	0~6	0.8m	49	270
	F Zuiko Auto T	F2.0, f=70	6-5	24	100	0.5~7	0.8	43	230
	E Zuiko Auto T	F3.5, f=100	5-4	17	143	1~6	1.5	43	250
	E Zuiko Auto T	F4.0, f=150	5-4	12	210	1~5	1.7	49	380
	E Zuiko T	F5, f=250	5-3	7	360	1~6	3.5	58	800

These interchangeable lenses adapt to Through-The-Lens numbers and also F numbers.

NOTE: To the owners of Original Pen F and/or Pen FV camera.

TA 2 20 4 50 8 II

Hold the aperture ring, pull it outward, turn it around, and set the proper F number on the upside.

* For complete setting, make certain the ring stops at the two extreme ends of the dial.

 Incidentally the Through-The-Lens numbers represent aperture values established only for the Olympus Pen FT with all exposure measurement errors corrected.



OLYMPUS OPTICAL CO., LTD. TOKYO JAPAN

Printed in Japan IEFL © 0467 · 2MB